

--	--	--	--

القسم	المؤلف	البحث الدولي المنشور	السنة
قسم الصيدلة الإكلينيكية قسم التكنولوجيا الصيدلانية	" Osman M.A., El-Maghraby G.M., and Hedaya M.A.	"Intestinal Absorption and Presystemic Disposition of Sildenafil Citrate in the Rabbit: Evidence for Site-Dependent Absorptive Clearance Biopharmaceutics and Drug Disposition, 27:93-102	2006
قسم الصيدلة الإكلينيكية قسم التكنولوجيا الصيدلانية	" Hedaya MA, El-Afifi D.R., and El-Maghraby G.M.	"The Effect of Ciprofloxacin and Clarithromycin on Sildenafil Absorption and Pharmacokinetics Biopharmaceutics and Drug Disposition, 27:103-110	
قسم العقاقير	El Kabash A	Montanone, a new sesquiterpene from Jasonia montana, Saudi Pharmaceutical Journal, vol.14, No.2 April 2006	
قسم العقاقير	El Kabash A	Two new sesquiterpene coumarins, ferusinol and samarcandin diastereomer, from Ferula sinaica (accepted in Iranian Journal of Pharmaceutical Research, December 2006)	
قسم الأقرابين	El-Dardiry, SA, Shafik, SR, Abdl Aleem, GA, Hashem, MM, Salah, RA, EL-Sayad, ME, Khalifa, MA	Influence of life style adjustment and antioxidant cotherapy on microangiopathy in adolescents with type 1diabetes mellitus and HBs-Ag. The 16th international conference on environmental protection is a must.	
قسم الميكروبيولوجي	-Sonbol ,F. ;Ashour,M. ;Ahmed, Z. and Abdulall ,A	Extended spectrum β - lactamase production by Gram-negative bacterial isolates.Presented in the 1 st Kuwait Pharmaceutical Sciences Conference&	

		10 th conference of Scientific Society of Faculties of Pharmacy in the Arab World 11-13 December, 2006 in Kuwait University ,Faculty of Pharmacy , Health Sciences Center, Kuwait , abstract page
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M.M., Williams, A.C. and Barry, B.W	Can Drug bearing liposomes penetrate intact skin. <i>J. Pharm. Pharmacol.</i> , 58(4) : 415-429.
قسم العقاقير	El Kabash A	Sequence analysis of clonally regenerated <i>Aloe vera</i> and <i>Aloe vera</i> from different geographical distributions in an internally transcribed spacer 1 region of ribosomal DNA, <i>Saudi Pharmaceutical Journal</i> , Vol. 14, No. 3-4, July-October 2006
قسم الكيمياء الصيدلانية	Mesalhy T	GC/MS Analysis of Phytosterols in Vegetable Oils: Effect of Storage and Heating on Their Level. <i>J. Sci. Food Agri.</i> 2006.
قسم التكنولوجيا الصيدلانية	El-Maghraby, G.M.	Effect of fatty acid side chain of Span on transdermal delivery of naproxen from Span containing niosomes. <i>The scientific Journal of Al-</i>

		Azhar medical Faculty 27(3) : 1357-1367.	
قسم التكنولوجيا الصيدلانية	El-Maghraby, G.M.	. Transdermal delivery of naproxen from enhanced niosomes. <i>The scientific Journal of Al-Azhar medical Faculty</i> 27(3) : 1369-1382	
قسم العقاقير	Ashraf A. El-Bassuony and <u>Amal M. Kabbash</u> .	Montanone, A new Sesquiterpene from Jasonia Montana. <i>Saudi Pharmaceutical Journal</i> , Vol. 14, No.2 April (2006).	
الكيمياء التحليلية	Sherin f. Hammad, Mokhter M. Mabrouk, Ahmed Habib, Hamed El Fatatry, N. Kishikawa, K. Nakashima & N. Kuroda., Biomed. Chromatogr	Precolum Fluorescence labeling method simultaneous determination of for hydroxyzine and cetirizine in human serum. <i>Biomed . Chromatogr .</i> 21, 1030-1035	200 7
الصيدلة الاكلينيكية	Mostafa Tarek	Chromaffin cells encapsulated into alginate -PLL microcapsules with a liquilied inner core-cell Transplantation",	
قسم التكنولوجيا الصيدلانية	Hashem, F.M., El-Gizawy, S.A., Omar, S.M., Ali, M.F.M., Shaker, M.A.	Effect of lyophilization on the characteristics and stability of melanin loaded liposomes. <i>Saudi Pharmaceutical Journal</i> . 15 (3-4): 196-204.	
قسم التكنولوجيا الصيدلانية	Attia, I.A., El-Gizawy, S.A., Fouda, M.A., Donia, A.M.	Influence of a niosomal formulation on the oral bioavailability of acyclovir in rabbits. <i>AAPS PharmSciTech</i> . 8(4) Article 106: E1-E7	

قسم التكنولوجيا الصيدلانية	Chan J., El Maghraby, G.M.M., Craig, J.P., Alany R.G.	Ocular delivery of pilocarpine hydrochloride from phase transition microemulsions: In vitro in vivo evaluation. <i>Int. J. Pharm.</i> , 328(1): 65-71
قسم التكنولوجيا الصيدلانية	Forbes, R.T., Barry, B.W. and Elkordy, A.A..	Preparation and characterisation of spray-dried and crystallised trypsin: FT-Raman study to detect protein denaturation after thermal stress. <i>European Journal of Pharmaceutical Sciences</i> . 30: 315-323.
قسم التكنولوجيا الصيدلانية	- A.M. Faheem, R.A. Falconer, S. Somavarapu, and H.O. Alpar:	"The use of Polycaprolactone (PCL)-Polyethylene glycol (PEG) nanoparticles as targeted vaccine delivery systems ". Accepted for poster presentation on 10/9/2007, British Pharmaceutical Conference (BPC 2007), Manchester, UK.
قسم التكنولوجيا الصيدلانية	- A.M. Faheem, X.W. Li, S. Somavarapu, and H.O. Alpar:	"Cellular immune response to surface-modified chitosan nanoparticles as DNA vaccine delivery systems ". Accepted for poster presentation on 10/9/2007, British Pharmaceutical Conference (BPC 2007), Manchester, UK
قسم التكنولوجيا الصيدلانية	A.M. Faheem, A. B. Mullen, V. A. Ferro and K. C. Carter	" Enhancement of immune response to non ionic surfactant vesicles of antigens administered by inhalation." . Accepted for poster presentation during the event of: "From concept to compound: Opportunities for industry from the Strathclyde

		Institute of Pharmacy and Biomedical Sciences", Strathclyde University, 20 th June 2007
قسم التكنولوجيا الصيدلانية	A.M. Faheem, A. B. Mullen, V. A. Ferro, Roberts F. and K. C. Carter:	" Treatment by inhalation with a non ionic surfactant vesicle formulation of rifampicin improves drug delivery compared to free drug treatment.". Accepted for poster and oral presentation at the Young Life Scientists Symposium, Strathclyde University, 8 th July 2007.
- قسم الصيدلة الإكلينيكية	Hgazy S	-Evaluation of the clinical effect of zallouh extract (Ferula Hermonis) on diabetic patients with erectile dysfunction, <i>J. Pan Arab League of Dermatologists</i> . 18 (1):17-26.
قسم الكيمياء الصيدلانية	El-Hamamsy, M.H.R.I.; Smith, A.W.; Thompson, A.S.; Threadgill, M.D.	structure-based design, synthesis and preliminary evaluation of selective inhibitors of dihydrofolate reductase from Mycobacterium Tuberculosis. <i>Bioorg. Med, Chem.</i> , 15, 4552 – 4576
قسم الكيمياء الصيدلانية	Mesalhy T	GC-MS Analysis of Allergens in Plant Oils Meant to Cosmetics. <i>O.C.L.</i> 2007 .
قسم الأقرابين	Yoshida T, Shiraishi T, Horinaka M, Nakata S, Yasuda T, Goda AE , Wakada M, Mizutani Y, Miki T, Nishikawa A, Sakai T.:	Lipoxygenase inhibitors induce death receptor 5/TRAIL-R2 expression and sensitize malignant tumor cells to TRAIL-induced

		apoptosis. <i>Cancer Sci.</i> 2007;98(9):1417-1423.	
قسم الميكروبيولوجي	El Banna, T. Abdelaziz, A.A. I. Abou-Dobara, Mohamed; Ibrahim Reham	Production and Immobilization of α -amylase from <i>Bacillus subtilis</i> . Pakistan Journal of Biological Sciences 10 (12) : 2039-2047.	
قسم العقاقير	El Swah S	"Isolation and Identification of A new Homoisoflavan with Potent Antioxidant Activity From Commelina elegans; Saudi Pharmaceutical Journal,	2008
قسم العقاقير	. Amal Kabbash, Kamelia Abou El Seoud, Eman Zalat, Nagwa Shoeib and Akira Yagi.	Supercritical Carbon Dioxide Extraction of Aloe emodin and Barbaloin from Aloe vera L. Leaves and Their in-vitro Cytotoxic Activity. Saudi Pharmaceutical Journal, Vol. 16, No. 1,	
قسم العقاقير	Mona El-Aasr, Yukino Oshiro, Yukio Fujiwara, Hiroyuki Miyashita, Tsuyoshi Ikeda, Masateru Ono, Hitoshi Yoshimitsu, Toshihiro Nohara	Conversion of esculeoside A into esculeogenin B , <i>Chem. Pharm. Bull.</i> , 56 , 926-929 (2008).	
قسم الأقربازين	Goda AE , Yoshida T, Horinaka M, Yasuda T, Shiraishi T, Wakada M, Sakai T.	Mechanisms of enhancement of TRAIL tumoricidal activity against human cancer cells of different origin by dipyrindamole. <i>Oncogene</i> . 2008;27(24):3435-3445.	
قسم الأقربازين	Yasuda T, Yoshida T, Goda AE , Horinaka M, Yano K, Shiraishi T, Wakada M, Mizutani Y, Sakai T.	Anti-gout agent allopurinol exerts cytotoxicity to human hormone-refractory prostate cancer	

		cells in combination with TRAIL. <i>Mol Cancer Res</i> 2008;6(12):1852-1860.
قسم الاقربازين	Taniguchi H, Yoshida T, Horinaka M, Yasuda T, Goda AE , Konishi M, Wakada M, Kataoka K, Yoshikawa T, Sakai T.	Baicalein overcomes tumor necrosis factor-related apoptosis-inducing ligand resistance via two different cell-specific pathways in cancer cells but not in normal cells. <i>Cancer Res.</i> 2008;68(21):8918-8927.
قسم الاقربازين	Yoshida T, Konishi M, Horinaka M, Yasuda T, Goda AE , Taniguchi H, Yano K, Wakada M, Sakai T.	Kaempferol sensitizes colon cancer cells to TRAIL-induced apoptosis. <i>Biochem Biophys Res Commun.</i> 2008;375(1):129-133.
قسم الاقربازين قسم الصيدلة الإكلينيكية	El-Shitany, N.A., El-Haggar, S., El-desoky, K.,	Silymarin prevents adriamycin-induced cardiotoxicity and nephrotoxicity in rats. <i>Food and Chemical Toxicology</i> 46, 2422 - 2428.
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M., Barry B.W., Williams, A.C.	Liposomes and skin: from drug delivery to model membranes. <i>Eur. J. Pharm Sci.</i> 34: 203-222.
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M.	Transdermal delivery of hydrocortisone from eucalyptus oil microemulsion: effects of cosurfactants. <i>Int. J. Pharm.</i> 355 : 285-292

قسم التكنولوجيا الصيدلانية	Chan J., El Maghraby, G.M.M., Craig, J.P., Alany R.G.	Effect of phase transition water-in-oil microemulsions on the precorneal tear film of albino New Zealand rabbits. <i>Clinical Ophthalmology</i> ,	
قسم العقاقير	El Kabash A	Isolation and Identification of a New Homoisoflavan with Potent Antioxidant Activity from <i>Commelina elegans</i> . Saudi Pharmaceutical Journal, Vol. 16, No.1 , January 2008 .	
- قسم الصيدلة الإكلينيكية - قسم العقاقير	Hgazy S , El Kabash A	"Possible Hypoglycemic Effect of Aloe-vera L .High Molecular Weight Fractions in Type 2 Diabetic Patients " :Saudi Pharmaceutical Journal. 17)3 :(210-218	2009
قسم الصيدلة الإكلينيكية	Sahar M. El-Haggar	Pharmacokinetic of irbesartan in type II diabetics. MJPS. 25 (2); 145-154 .	
الكيمياء التحليلية	". H.M. El-Fatary, M.M. Mabrouk, A.A. Habib and Abdel Hamid	"RP-HPLC And Spectrophotometric methods For The Simulatneous Determination Of The Two Antihypertensive Drugs Hydrochlorothiazide And Bisoprolol Fumarate. Presented before 34 th International Symposium on High-Performance Liquid Phase Separations and Related Techniques, held in International Congress Center, Dresden, Germany; June	

		28 th – July 2 nd , 2009.	
الكيمياء التحليلية	H.M. El-Fatary, M.M. Mabrouk, A.A. Habib and M. Abdel Hamid.	"Simultaneous Determination of pyridoxine HC1 and Meclizine HC1 by Spectrophotometric Method and RP-HPLC method"	
الكيمياء التحليلية	H.M. El-Fatary, A.A. Habib, M.M. Mabrouk and S.M. El-Malla.	"Determination of Recombinant Human Insulin by Spectrophotometric Chemometric Methods.	
الكيمياء التحليلية	H.M. El-fatary, A.A. Habib, M.M. Marbrouk and S.F. El-Malla	"Development and Validation of RP-HPLC Method for Determination of Recombinant Human Insulin" "First International Pharmaceutical Sciences Conference, held in Faculty of Pharmacy, Tanta University, Tanta, Egypt, Nov. 18-19, 2009, abstract Book, p.5, 13,14 and 15 respectively.	
قسم الصيدلة الإكلينيكية قسم التكنولوجيا الصيدلانية	Hedaya, M.A., Osman, M.A., Helmy. S.M., El-Gizawy, S.A.	Formulation and evaluation of an oral delivery system to enhance cefixime bioavailability. The 14th International Symposium on Recent Advances in Drug Delivery Systems. 15-18 February 2009, Salt Lake city, Utah, USA	

قسم التكنولوجيا الصيدلانية	El Maghraby, G.M., Al Omrani, A.H.	Synergistic enhancement of itraconazole dissolution by ternary system formation with pluronic F68 and hydroxypropylmethylcellulose. <i>Scientia Pharmaceutica</i> . 77: 401-417.
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M., Williams, A.C	Vesicular systems for delivering conventional small organic molecules and larger macromolecules to and through human skin. <i>Expert Opinion in Drug Delivery</i> .6(2): 149-163.
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M., Alanazi, K.F., Alsarra, I.A.	Transdermal delivery of tadalafil: 1- effect of vehicle on skin permeation. <i>Drug Dev. Ind. Pharm.</i> 35: 329-336.
قسم التكنولوجيا الصيدلانية	Alsarra, I.A., Hamed, A.Y., Mahrous, G.M., El Maghraby, G.M., Al-Robayan, A.A., Alanazi, F.K.	Mucoadhesive polymeric hydrogels for nasal delivery of acyclovir. <i>Drug Develop. Ind. Pharm.</i> 35: 352-362
قسم العقاقير	Mona El-Aasar, Toshihiro Nohara, Tsuyoshi Ikeda, Hitoshi Yoshimitus, Kotaro Murakami	A new spirostanol glycoside from fruits of <i>Solanum indicum</i> L. <i>Chem. Pharm. Bull.</i> , 57, 747-748 (2009)
قسم العقاقير	Mona El-Aasar, Toshihiro Nohara, Tsuyoshi Ikeda, Hitoshi Yoshimitus, Jong-Peng Li, Oda Kana.	Two new acyclic diterpene glycosides from fruits of <i>Habanero</i> , <i>Capsicum chinense</i> . <i>Chem. Pharm. Bull.</i> , 57, 730-733 (2009)
قسم العقاقير	Mona El-Aasar, Toshihiro Nohara, Tsuyoshi Ikeda, Yukio	Studies on the constituents of whole plants of

	Fujiwara, Masateru Ono.	Yangia Japonica., Chem. Parm. Bull., 57, 719-(2009)	
قسم العقاقير	Mona El-Asar, Toshihiro Nohara, Tsuyoshi Ikeda, Dian-preg Li, Misato Ogata.	Two new cucurbitane-type glycosides obtained from roots of <i>Siraitia grosvenori.</i> , Chem. Parm. Bull., 57, 870-872 (2009)	
الكيمياء التحليلية	Kishikawa, Kub o, Hammad, Mabrouk, Habib, Elfatary, Ohyama, Nakashima & Kuroda. J.	Fluorogenic derivatization of aryl halides based on the formation of biphenyl by Suzuki coupling reaction with phenylboronic acid., Chrom. A., 1216, p. 6873-6876 (2009).	
الكيمياء التحليلية	MM Mabruk	"Stability-indicating HPLC method for simultaneous determination of granisetron hydrochloride, benzyl alcohol and their main degradation products in parenteral dosage forms" Talanta, in press 24 April	2010
قسم الاقربازين و السموم	El-Shitany, N.A., El-Masry, S.A., El-Ghareib, M.A., El-Desoky, K.,	Thioctic acid protects against carrageenan-induced acute inflammation in rats by reduction in oxidative stress, downregulation of COX-2 mRNA and enhancement of IL-10 mRNA. Fundamental & Clinical Pharmacology Published Online: Sep 4 2009.	
قسم الاقربازين و السموم	El-Shitany, N.A., Hegazy, S., El-desoky, K.,	Evidences for antiosteoporotic and selective estrogen receptor modulator activity of silymarin compared with ethinylestradiol in ovariectomized rats. <i>Phytomedicine</i> 17 : 116-125	
قسم الصيدلة الاكلينيكية			
قسم الاقربازين	Koyama M, Izutani Y, <u>Goda AE</u> , Matsui T, Horinaka M,	Histone Deacetylase Inhibitors and 15-Deoxy-	

	Tomosugi M, Fujiwara J, Nakamura Y, Wakada M, Yogosawa S, Sowa Y, Sakai T	$\Delta^{12,14}$ -prostaglandin J_2 Synergistically Induce Apoptosis. <i>Clin Cancer Res.</i> 2010; 16(8): 2320-2332.
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M., Al Omrani, A.H.	Effects of hydroxypropyl- β -cyclodextrin, gel and in-situ gelling systems on the stability of hydrocortisone after gamma irradiation. <i>New Drug Deliv. Sci. Technol.</i> .20(2):385-389
قسم العقاقير	Mona El-Aasar, Yukio Fujiwara, Motohiro Takeya, Tsuyoshi Ikeda, Masateru Ono, Hitoshi Yoshimitus Toshihiro Nohara	Onion A from <i>Allium cepa</i> inhibits macrophage activation. <i>J. Nat. Prod.</i> , 73, 1306-1308(2010)
قسم العقاقير	Mona El-Aasar, Toshihiro Nohara, Ai Nakano, Tsuyoshi Ikeda, Hitoshi Yoshimitus	Study of constituents of <i>Veronicastrum villosulum</i> . <i>J. Nat. Med.</i> ,64, 510-513 (2010)
قسم العقاقير	Mona El-Aasar, Toshihiro Nohara, Tsuyoshi Ikeda, Yukio Fujiwara, Masateru Ono.	The Tomato Saponin, Esculoside A (Review). <i>J. Nat. Prod.</i> , 73, 1734-1741 (2010)
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M.	Self microemulsifying and microemulsion systems for transdermal delivery of indomethacin: Effect of phase transition. <i>Colloids and Surfaces B: Biointerfaces.</i> 75: 595-600.
قسم التكنولوجيا الصيدلانية	<u>Essa, E.A.</u>	Effect of formulation factors on the particle

		size of Sorbitan Monopalmitate niosomes (2010). Asian J. Pharm. (5): 240:246.	
قسم الصيدلة الإكلينيكية قسم التكنولوجيا الصيدلانية	Akinlade, B., El Kordy, A.A., Essa, E. A., and Elhagar, S.	Liquisolid systems to improve the dissolution of furosemide. Sci. Pham. (78): 325-344.	
قسم الصيدلة الإكلينيكية	Hegazy, S., El-Bedewy, M.	Effect of probiotics on pro-inflammatory cytokines and NF-kB activation in ulcerative colitis. World JGastroenterol 1010 Sep 7:16(33):4145-4151	
قسم التكنولوجيا الصيدلانية	Essa, E.A. and Elkordy, A.A.	Dissolution of ibuprofen from spray dried and spray chilled particles. Pak. J. Pharm. Sci. 23 (3): 284-90.	
قسم الميكروبيولوجي	Elbanna T.E. Abdelaziz A.A. and Rania Abouzahra	In vitro activities of three kinds of antibiotics against Staphylococcal biofilm and planktonic cultures :African Journal of Microbiology Research Vol. 4(21), pp. 2275-2282, 4 November, 2010	
قسم الميكروبيولوجي	Abdelaziz A.A. and Rania Abouzahra	In vitro and In vivo activities of some antibiotics against Staphylococcal biofilm and planktonic cells isolated from diabetic foot infections. Journal of American science 2010;6(12):760-770.	
قسم الميكروبيولوجي	Maha Abd El Hafez; Noha G. Khalaf; Dr. Mohammad El Ahmadi; Ahmed Abd El Aziz; Abd El Gawad Hashim	An outbreak of methicillin resistant Staphylococcus epidermidis among neonates in a	2011

		hospital in Saudi Arabia - ID#1293 - ID#1293 accepted for publication and it will be published feb. 2011 I n JIDC USA.
قسم الأقربازين و السموم قسم الصيدلة الإكلينيكية	Alaa E.El-Sisi, Sahar K.Hegazy, Shreen S. Metwally, Alaa M. Wafa and Naglaa A	Effect of genetic polymorphisms on the development of secondary failure to sufonylurea in Egyptian patients with type two diabetes
قسم الأقربازين و السموم	Alaa E.El-Sisi, Asem A Alfert, Magda El-Sayed, Sherin Zakaria	Anti-fibrotic effect of telmisartan in silymarin treated HCV-Egyptian patient .INT.J.SCI.,Sep(2011):3(3)1706-1714
قسم الأقربازين و السموم	A. El-Sisi, W. Awara, T. El-Masry, S El-Korany, R. El-Garabawy	Effect and mechanism of action of immunomodulating agents against schistosomiasis-induced hepatic inflammation and fibrosis in mice. Res. Pharm. Biotech. Vol3(4),32-45(2011)
قسم الأقربازين و السموم	Goda AE, Horianka M, Yasuda T, Yano K, Wakida M. Yoshida K	Chetomin induces degradation of XIAP and enhance TRAIL sensitivity in urogenital cancer cells. Int J Oncl.2011:38(2):365-374
قسم الميكروبيولوجي	Abdelaziz ,A. , El-Banna , T , <u>Sonbol</u> ,E, Helaly . G, Louise. N.	Dexapanthenol and propolis extract in combination with local antibiotics for treatment of Staphylococcal Pseudomonal wound infections. Archives of Clinical Microbiology Vol. 2No. 4:3 (2011)
قسم الميكروبيولوجي	Ghoniem M , EIDomani.R and Abdelaziz A. A	Evaluation of immunomodulatory effect of three herbal plants growing in Egypt. Immunopharmacology and immunotoxicology

		March 2011, Vol. 33, No. 1 , Pages 141-145	
قسم العقاقير	Mona El-Aasr, Yukio Fujiwara, Motohiro Takeya, Masateru Ono, Daisuke Nakano, Masafumi Okawa, Junei Kinjo, Tsuyoshi Ikeda, Hiroyuki Miyashta, Hitoshi Yoshimitsu, and Toshihiro Nohara	Garlicnin A from the Fraction Regulating Macrophage Activation of <i>Allium sativum</i> , <i>Chem. Pharm. Bull.</i> , 59 , 1340-1343(2011).	
قسم التكنولوجيا الصيدلانية	Alomrani, A.H., El Maghraby, G.M., Alanazi, F.K., Al-Mohanna, M.A., Alaiya, A.A., Alsarra, I.A.	Liposomes for Enhanced Cytotoxic Activity of Bleomycin: Effect of composition. <i>Drug Develop. Res</i> 72:265-273 (2011).	
قسم الكيمياء الصيدلانية	Elokely KM, Eldawy MA, ElkershMA, EL-Mmoselhy TF	Fluorescence Spectrometric Determination of Drugs Containind α -Methylene Sulfone/sulfonamide Functional Group Using N-Metylnicotinamide Chloride as a Flourogenic Agent. <i>International Journal of Analytical Chmistry</i> , 2011, Volume 2011, article ID840178, 9 pages.	
قسم العقاقير	Mona El-Aasar, Toshihiro Nohara, Tsuyoshi Ikeda, Yukio Fujiwara, Masateru Ono.	Content variations of the tomato saponin, esculoside A in various processed tomatoes. <i>J. Nat. Med.</i> ,65,176-179 (2011)	
الكيمياء التحليلية	Hewala I, El-Fataty H, Emam E, Mabrouk M	Development and application of a validated stability-indicating high-performance liquid chromatographic method using photodiode array detection for simultaneous determination of	

		granisetron, methylparabene, sodium benzoate, and their main degradation products in oral pharmaceutical preparation. J AOAC int. 2011 Sep-Oct,94(5):1447-60.	
قسم التكنولوجيا الصيدلانية	Abdullah H. Alomrani, Gmal M. El Mlaghrby, Fars K. Alanazi, Mai A. Al-Mohanna, Ayodele A Alaiya, and Ibrahim A. Alsarra.	Design of programmable release formulations for combined therapy. Int. J Pharm Tech Reserch CODEN (USA) 2011	
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M., Alanazi, F.K.Elzayat EM	Development of modified in situ gelling oral liquid sustained release formulation of dextromethorphan. Drug Dev Ind Pharm .2011 Nov 18.	
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M., Al Omrani, A.H.	Effect of binary and ternary solid dispersions on the in vitro dissolution and in-situ rabbit intestinal absorption of gliclazide. Park J Pharm Sci. 2011 Oct:24(4):459-68	
قسم التكنولوجيا الصيدلانية	El Maghraby, G.M. Bosela A.A.	Investigation of self-microemulsifying and microemulsion systems for protection of prednisolone from gamma radiation. PHARM Dev Technol. 2011 Jun:16(3):237-42.	
قسم العقاقير	Mona El-Aasar, Toshihiro Nohara, Tsuyoshi Ikeda, Hitoshi Yoshimitus, Hiroya Deguchi.	Study of the chemical constituents of Pruni crtex and its related parts. J. Nat. Med.,65, 166-171 (2011)	
قسم الكيمياء الصيدلانية	Elokely KM, Eldawy MA, ElkershMA, EL-Mmoselhy TF.	Fluorometric Determination of Drugs Containind α -Methylene Sulfoide Functional Group Using N-Metylnicotinamide Chloride as a Flourogenic Agent. International Scholary Research Network (ISRN Analytical Chemistry), 2012, volume	2012

		2012,Article ID 281929, 13 pages.	
الكيمياء التحليلية	Fotouh R. Mansour, Mohamed A. Shafi, Neil D. Danielson	Flow injection determination of carboxylate, phosphate, and sulfhydryl compounds using metal exchange complexation.Trends in Analytical Chemistry, 2012	
الكيمياء التحليلية	Fotouh R. Mansour, Neil D. Danielson	Ligand exchange spectrophotometric method for the determination of mole ratio in metal complexes. Mmicrochemical Journal 103 (2012) 74-78	
الكيمياء التحليلية	Fotouh R. Mansour, Neil D. Danielson	Separation methods for captopril in pharmaceuticals and biological fluids. Journal of Separation science,Volume 35, ISSUE 10-11,PAGES 1213-1226, June 2012.	
الكيمياء التحليلية	Fotouh R. Mansour and Neil D. Danielson.	Reverse flow-injection analysis. Trends in Analytical Chemistry, Vol. xxx, No. x, 2012 [article in press]	
الكيمياء التحليلية	Hamed M. El-Fatary, Ahmed A. Habib, Mokhtar M. Mabrouk , and Samah F. El-Malla	Determination of Recombinant Human Insulin by Chemometric Spectrophotometry and RP-HPLC. Poster presentation at <i>HPLC 2012</i> conference, June 16-21, 2012, Anaheim Marriott, Anaheim, California, USA	
قسم الصيدلة الإكلينيكية الكيمياء التحليلية	Yasmine M. Elmorsi, Sahar M. El-Haggar, Osama M. Ibrahim, and Mokhtar M. Mabrouk.	Effect of ketoprofen and indomethacin on methotrexate pharmacokinetics in mice plasma and tumor tissue.Journal of Applied Pharmaceutical Science 02(06) :2012:90-95.	
قسم الصيدلة الإكلينيكية	Sahar K. Hegazy . Mokhar M. Mabrouk. Alaa E. Elsi . Noha	Effect of clarithromycin and fluconazole on the	

الكيمياء التحليلية قسم الأقربازين	O.Mansour	pharmacokinetics of montelukast in human volunteers.Eur J Clin Pharmacol(2012) 68:1275-1280
الكيمياء الحيوية	Naglaa F, Khewdr, Nahla E. El-ashmawy. Hoda a. El-Bahrawy..Ali A. Haggag and Eman E. El-Abd.	Modulation of bone turnover in orchidectomized rats treated with raloxifene and risedronate.2012 The Author Fundamental and clinical pharmacology.
قسم التكنولوجيا الصيدلانية	El Kordy, A.A., Essa, E. A., Dhuppada S, Jammigumpala p	Liquisolid technique to enhance and to sustain griseofulvin dissolution:Effect of choice of non-volatile liquid vehicles. Int J Pharm. 2012 Sep 15:434(122-32.Eupb 2012 Jun 5.
قسم التكنولوجيا الصيدلانية	El Kordy, A.A., Essa, E, Tan ZN.	Spirolactone release from liquid formulations prepared with Caapryol™ 90, Solutol HS-15 and Kollicoat SR 30 D as non volatile liquid vehicles.Eur J POpharm. 2012 Aug 30
قسم التكنولوجيا الصيدلانية	Hammam A. Mowafy, Fars K.Alanazi, Gamal M. El-Maghraby	Development and validation of an HPLC-UV method for the quantification of carbamazepine in rabbit plasma. Saudi Pharmaceutical Journal (2012) 20, 29-34
قسم الأقربازين و السموم	Wageh M. Awara ,Alaa E. El-Sisi ,Sally E. Abu Risha ,Karima I. El-desoky	Rosiglitazone protection against experimentally-induced intestinal ischemia/re-perfusion.Res. Pharm. Biotech.Vol. 4(1),6-17(2012)
قسم الأقربازين و السموم	Alaa E. El-Sisi , Nageh A. El-Mahdy, Bedair I.Dewidar Karima I. El-desoky.	Histamine protects against the acute phase of experimentally-induced hepatic ischemia/re-perfusion.J Immunotoxicology,(2012)

قسم الميكروبيولوجي	Abdelaziz ,A. , El-Banna , T , <u>Sonbol</u> ,F, Abo-Kamar, Doaa W. Seif-Eldin	Evaluation of the combination of N-acetylcysteine and or sodum salicylate with ciprofloxacin on bacterial adhesion and biofilm formation on urinary catheter .International Arabic Journal of Antimicrobial Agent. Vol. 2 No. 1:4(2012)	
قسم الميكروبيولوجي	Abdelaziz ,A. , El-Banna , T , <u>Sonbol</u> ,F, Abo-Kamar, Doaa W. Seif-Eldin	Effect of the combination of salicylate with aminoglycosides on bacterial adhesion to urinary catheter. International Research Journal of Pharmaceuticals(2012), Vol. 02,Issue 02,pp.93-99.	
قسم الميكروبيولوجي	Ahmed A. Abd El-Aziz, Tarek E.El-Banna, Noha M. Gamal El-Deen	Validated microbiological and HPLC methods for the determination of moxifloxacin in pharmaceutical preparations and human plasma. International J. Biomedical analysis. 8; 45-57	
قسم الاقربازين و السموم	Rehab M. El-Garabawy, Enas I. El-Madah, Merfat M. Oreby, Hanan S. A. Salem and Momna O. Ramadan	Immunotoxicity and pulmonary toxicity induced by paints in Egyptian patient .Journal of immunotoxicology	
قسم الاقربازين و السموم	Rehab El-Garabawy, Enas El-Madah, Merfat Oreby and Amany Mousa	Evaluation of occupational exposure to radiation induced alteration in Macro-, and trace elements and ultra-structural changes on hair in Egyptian radiographers. Int J Legal Med 126 (Suppl 1):S23-S38	

قسم التكنولوجيا الصيدلانية	El Maghraby M. Gamal	Occlusive and non –occlusive application of microemulsion for transdermal delivery of progesterone: mechanistic studies. Sci Pharm. 2012: 80: 765-778
قسم التكنولوجيا الصيدلانية	El Maghraby M. Gamal	Microemulsions as transdermal drug delivery systems.Current Nanoscience. Vol 8, No 4, Sept 2012
قسم العقاقير	Mizuho Ohno, Kotaro Murakami, Mona El-Aasr, Jian-Rong Zhou, Kazumi Yokomizo, Masateru Ono, Toshihiro Nohara,	New spirostanol glycosides from <i>Solanum nigrum</i> and <i>S. jasminoides</i> <i>J. Nat. Med.</i> , 66 , 658-663 (2012).
قسم الاقربازين و السموم	El-Shitani NA, Tolba OA, El-Shanshori MR, El-Hawary EE	Protective effect of carvedilol on Adriamycin-induced left ventricular dysfunction in children with acute lymphoblastic leukemia. J card fail.2012: 18(8):607-613
قسم الاقربازين و السموم	Ibrahim SK, Tosson E, El-Masry T, Arafa N.	The effect of folic acid as antioxidant on the hypothalamic monoamines in experimentally induced hypothyroid rat.Toxical Ind Health. (2012):16(8):2320-2332
قسم الاقربازين و السموم	Goda AE, Yasuda T, Yano K, Wakida M. Yoshida K, Horianka M,.	Targeting the glyoxalase pathway enhances TRAIL efficacy in cancer cells by down- regulating the

		expression of anti-apoptotic molecules. Mol Cancer Ther.	
قسم الاقربازين و السموم	El-Afiy S, Sokar SS, El-Masry T. El-Sayed M	Pharmacokinetic and pharmacology study of two p-glycoptotein modulating agents combined with doxorubicin. Journal of Parmacy and Clinical Science. Volume 5 (April-June, 2012)	